





















ALIGNMENT ACCESSORIES				
Part No.	Description	Use w/ Model #	Wt. (Lbs.)	
TURNTABLES:				
1260	Heavy-Duty Truck Turntables, Set (2) Dimensions: L-18½ x W-18¼ x H-2	460, 480, 482	180	
054	Stainless Steel Turnplates (Hofmann/Wheeltronic), Set (2) Dimensions: L-14¾ x W-14¼ x H-1½ Replaces 89700	All Aligners	80	
89261	Stainless Steel Turntables (Hunter/Rotary), Set (2) Dimensions: L-14¾ x W-14¼ x H-1½	All Aligners	90	
82EUR	Electronic Turntables (Mercedes-Benz), Set (2) Dimensions: L-15 x W-15 x H-2	All Aligners	65	
036	Standard Turntables, Set (2) Dimensions: L-15 x W-14¾ x H-1½	All Aligners	100	
ROLL BACK KITS:				
89327	Roll Back Kit (use with Rotary Lifts)	660	11	
89328	Roll Back Kit (use with Hunter Lifts)	660	20	
055	Roll Back Kit (use with Hofmann 4-Post and Scissors Lifts)	660	38	
046	Roll Back Rubber Pads, Set (2) Lengthens rear slip plates for roll back procedure on Image Aligner. Dimensions: L-12 x W-20 x H-½	660	10	

ALIGNMENT ACCESSORIES

Part No.	Description	Use w/ Model #	Wt. (Lbs.)	
CAMERA BOOM MOUNTS:				
EAA0321J19A	Multi-Level Camera Boom Mount shown with Image Camera Assembly. Hydraulically adjustable to working height of the alignment lift. Alignment range varies from floor level to approx. 72" runway height.	660	585	
EAA0321J01A	Center Tall Camera Boom Mount shown with Image Camera Assembly. Installed at convenient fixed height for making most alignment adjustments. Camera beam can be installed at a fixed position for alignment heights of approx. 14"-38" at runway heights.	660	60	
MISCELLANEOUS:				
EAK0256J71A	Ride Height Target	660	3	
96	Pedal Depressor to engage foot brake during alignment procedures.	All Aligners	4	
129	Portable Stands (20" high), Set (4) Two (2) with operator step platforms (shown in photo).	460, 480, 482	245	
195	Portable Bottle Jacks, Set (2)	All Aligners	45	
331	Convex Mirror (36" wide) w/mounting hardware	All Aligners	18	
55502	Steering Wheel Holder to lock steering wheel in place during alignment procedures	All Aligners	3	
64222	Surface Mount Portable Rear Slip Plates, Set (2) Dimensions: L-13¾ x W-12¾ x H-½	460, 480, 482	20	
68802	Wheel Chocks (rubber), Set (2)	All Aligners	5	





ALIGNMENT ACCESSORIES

Part No.	Description	Use w/ Model #	Wt. (Lbs.)	
88634	Undercar Scooter Adjustment Chair for use with fixed height installations	All Aligners	22	
EAA0261P80A	Remote Control/Receiver Kit Field installation of hand-held remote control unit.	460	2	
EAK0222J02A	Calibration Package (CCD Heads) for performing periodic calibration on conventional aligners.	460, 480, 482	45	
EAK0222J17A	Voice Align Kit Field installations of Voice Command Module on 460, 482, & 660 Aligners.	480, 482, 660	4	
EAK0268J08A	Remote Display Readout and Cable	660	4	
EAK0222J77A	Remote Display Readout and Cable	460, 480, 482	4	
WHEEL CLAMPS				
EAM0007J01A	Standard Wheel Grabber, Single (1)	460, 480, 482	0.02	
EAK0268J17A	Clamp Extensions, Set (8) 3" Extension	460, 480, 482	1	
EAK0268J18A	Clamp Extensions, Set (8) 3" Extension Set (8) 6" Extension	460, 480, 482	3.4	
8-00191A	Standard Wheel Clamp Extension (1) 4"	660		no picture
8-00291A	Standard Wheel Clamp Extension (1) 6"	660		no picture

ALIGNMENT ACCESSORIES

Part No.	Description	Use w/ Model #	Wt. (Lbs.)	
89624	Honda Grabbers for 460, 480, & 482 Wheel Clamps. Allows clamping over Honda wheel covers.	460, 480, 482	4	
EAK0222J30A	Alloy Universal Camera Wheel Clamp Kit, Set (4) Also includes drop down adapter. Standard Capacity: 10" - 21" wheels.	660	50	
EAK0222J29A	Alloy Spindle Camera Wheel Clamp Kit, Set (4) Standard Capacity: 10" - 21" wheels.	460, 480, 482	50	
EAA0256J35A	Standard 460, 480, & 482 Wheel Clamp (1) (Includes one (1) Rim Claws Kit (EAK0222J14A) Standard Capacity: 10" - 22" wheels.	460, 480, 482	12	
EAC0055J57A	Standard 460, 480, & 482 Wheel Clamps (2) (Includes two (2) Rim Claws Kits (EAK0222J14A) Standard Capacity: 10" - 22" wheels	460, 480, 482	30	
EAK0222J14A	Rim Claws Replacement Parts Kit (6 Claws/2 Extensions) Increases Standard Capacity: 10" - 22" wheels	460, 480, 482	5	
EAK0222J20A	Porsche Adapter (use w/Alloy Spindle or Alloy Universal Wheel Clamp Kit)	460, 480, 482, 660	2	
EAK0222J27A	Extension Kit to 25" (use w/Alloy Spindle or Alloy Universal Wheel Clamp Kit)	460, 480, 482, 660	3	
EAK0222J28A	Pin Kit (MB/BMW) (use w/Alloy Spindle or Alloy Universal Wheel Clamp Kit)	460, 480, 482, 660	1	
EAK0222J40A	Dual Wheel Adapter Kit Extends heads outward for motor home applications. (use with conventional heads)	460, 480, 482	5	
CABLES & WIRING KITS				
EAW0235J09A	33' Replacement Cable for CCD Head	460, 480, 482	3	

ALIGNMENT ACCESSORIES

Part No.	Description	Use w/ Model #	Wt. (Lbs.)	
EAW0235J19A	65' Replacement Cable for Conventional Head	460, 480, 482	5	
EAK0222J31A	Conventional Heads Wiring Kit w/Cables for upgrading existing wired lift to new conventional heads. Includes two (2) 30' conventional lift to console cables and four (4) head to lift cables.	460, 480, 482	10	
EAK0222J32A	Electronic Turntable Wiring Kit, Conventional Heads Standard Includes two (2) 30' CCD lift to console cables and two (2) "short" head to turntable cables.	460, 480, 482	10	
EAK0222J33A	Electronic Turntable Wiring Kit, Conventional Heads Long Includes two (2) 60' CCD lift to console cables and two (2) "long" head to turntable cables.	460, 480, 482	10	
EAK0222J51A	Lift Wiring Kit Rack, Conventional Align w/ Cables & Junction Boxes Head cables plug directly into lift. No cables on floor.	460, 480, 482	10	